

JUNE 2002

INTERNATIONAL GCSE

MARK SCHEME



MAXIMUM MARK : 70

SYLLABUS/COMPONENT : 0580/2; 0581/2



MATHEMATICS
(Structured Questions)



Page 1	Mark Scheme	Syllabus	Paper
	IGCSE Examinations – June 2002	0580	2

Question Number	Mark Scheme	Part Marks	Notes	Question Total
1	a) 4.15×10^8 final answer cao b) 10 cao	B1 B1		2
2	a) 2008 b) 1993	B1 B1	allow January 2008	2
3	a)  b) $(C \cup D)'$ or $C' \cap D'$	B1 B1		2
4	34 cao 126 cao	B1 B1		2
5	10	2	M1 for $\sqrt{(5 - -1)^2 + (-4 - -4)^2}$ oe	2
6	a)  b) $-a + b$ oe	B1 B1	C at $(-1, 3)$ or a representative of $\begin{bmatrix} -1 \\ 3 \end{bmatrix}$ drawn unambiguously anywhere condone missing vector symbols	2
				12
7	$(-)$ 12	2	M1 for $\frac{-22 + 25}{25} \times 100\%$ oe	2
8	$x > 15$ cao or $15 < x$	2	M1 $2x$ and 30 (both + or both -) or better seen or SC1 for 15 seen in answer space	2
9	a) 28.5(cm) cao b) 270.75 (cm ²) cao	B1 B1	Accept 271 or 270.8 here	2
10	a) 0.75(m ²)oe	2	M1 for 400 or 20^2 seen or SC1 for figs(75) as final answer $\sqrt{\text{their previous answer}} \times 10^4$	

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE Examinations – June 2002	0580	2

	b) $7500 \text{ (cm}^2\text{)}$ ✓	B1✓		3
11	$V = \frac{5-T}{T}$ oe	3	B1 for $T(V+1)=5$ or $\frac{1}{T} = \frac{V+1}{5}$ oe. M1✓ Correct follow through method to get single V	3
12	135(°)	3	M1 for attempt to find the angle sum of 7-sided polygon or M1 for $\frac{360-90}{6}$ M1 dep for completion. After no marks, SC1 for 45° in answer space or SC2 for answer in the range 135 to 136	3
				15
13	a) Correct completion of net b) 12 c) 40	B1 B1 B1	ignore units ignore units	3
14	a) 4, 1, $\frac{1}{2}$, $\frac{1}{16}$ oe isw b) $y^3 < y^{-1} < y^0 < y^2$	B2 B2	allow SC1 for any two correct M1 for using a number < -1 or SC1 for y^2 largest or y^3 smallest	4
15	a)i)  ii) Kite cao b)i)  ii) 2 or "twice" cao	B1 B1 B1 B1	C on line anywhere <u>except</u> symmetric X. Condone lack of "C", freehand or no lines drawn no follow through G on line so that FH is line of symmetry. Condone lack of "G", freehand or no lines drawn not 2:1; 180°	4
16	a)i) 27 ii) $3\sqrt{\quad}$ b) $2x^3 - 5$ oe seen isw c) x^3 cao	B1 B1✓ B1 B1	✓ correct cube root of <i>their a</i> allow 2.9recurring	4
				15
17	a) $16\pi r^2$ oe as final answer b) $15\pi r^2$ oe as final answer c) $10\pi r$ oe as final answer (single term)	B1 B1 B2	accept 50.2 to 50.3 for 16π accept 47.1 to 47.2 for 15π accept 31.4(...)r M1 for $2\pi r + 2\pi(4r)$ oe SC2 for all three answers correct	

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE Examinations – June 2002	0580	2

			but omitting r and r^2	4
18	a) i) (\$) 128 ii) 25.6 or 25 or 26 b) 24	B1 B1√ 2	√ for <i>their</i> $(128) \times 6.45 - 800$ M1 for $I = \frac{800 \times 12 \times \frac{1}{4}}{100}$ SC1 for 96, 288, 824 or 32	4
19	a) i) $-3+6x = -15$ oe ii) -2 b) $ c = 0$ c) $\frac{1}{4} \begin{pmatrix} 5 & 3 \\ 2 & 2 \end{pmatrix}$ oe	B1 B1√ B1 B2	√ from a non-trivial linear equation to 3 sf SC1 for $\frac{1}{4} \begin{pmatrix} \cdot & \cdot \\ \cdot & \cdot \end{pmatrix}$ or $k \begin{pmatrix} 5 & 3 \\ 2 & 2 \end{pmatrix}$	5
20	a) i) $x(x-5)$ ii) $(x-5)(2x-1)$ oe b) $\frac{x}{2x-1}$	B1 B2 B2	condone $(x \pm 0)(x-5)$ SC1 for $(x-5)(x-\frac{1}{2})$ SC1 $\frac{x}{x-\frac{1}{2}}$ or a carelessly written "correct" answer	5
				18
21	a) $(AC^2) = 9^2 + 6^2 - 2 \cdot 9 \cdot 6 \cdot \cos 95$ $= 126.(\dots)$ soi art 11.2 b) art 26.9	M1 A1 A1 2	Allow for cos rule attempt with one slip- ie sign error or lost 2 11.2 ww gets zero 11.24 ww gets 3 M1 for $\frac{1}{2} \times 9 \times 6 \times \sin 95$ or complete correct alternative method	5
22	a) $y = \frac{1}{2}x + 3$ oe b) $x > 2$ (or \geq) $y \leq 7$ (or $<$) $y \geq$ <i>their</i> $\frac{1}{2}x + 3$ (or $>$)	B1, B1 B1 B1 B1√	After 0 scored allow SC1 for $\frac{1}{2}x + 3$ seen in each part condone incorrect notation provided meaning is clearly correct	5
				10

TOTAL MARKS 70