

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the June 2004 question papers

0620 CHEMISTRY

0620/01	Paper 1 (Multiple Choice), maximum mark 40
0620/02	Paper 2 (Core), maximum mark 80
0620/03	Paper 3 (Extended), maximum mark 80
0620/05	Paper 5 (Practical), maximum mark 40
0620/06	Paper 6 (Alternative to Practical), maximum mark 60

These mark schemes are published as an aid to teachers and students, to indicate the requirements of the examination. They show the basis on which Examiners were initially instructed to award marks. They do not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the *Report on the Examination*.

- CIE will not enter into discussion or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the June 2004 question papers for most IGCSE and GCE Advanced Level syllabuses.



Grade thresholds taken for Syllabus 0620 (Chemistry) in the June 2004 examination.

	maximum mark available	minimum mark required for grade:			
		A	C	E	F
Component 1	40	-	26	20	17
Component 2	80	-	52	36	27
Component 3	80	53	31	-	-
Component 5	40	31	24	18	14
Component 6	60	42	32	21	15

The threshold (minimum mark) for B is set halfway between those for Grades A and C.
The threshold (minimum mark) for D is set halfway between those for Grades C and E.
The threshold (minimum mark) for G is set as many marks below the F threshold as the E threshold is above it.

Grade A* does not exist at the level of an individual component.

June 2004

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 40

SYLLABUS/COMPONENT: 0620/01

**CHEMISTRY
(Multiple Choice)**

Page 1	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	01

<i>Question Number</i>	<i>Key</i>	<i>Question Number</i>	<i>Key</i>
1	A	21	C
2	D	22	C
3	B	23	B
4	B	24	D
5	C	25	D
6	C	26	A
7	A	27	B
8	D	28	B
9	A	29	C
10	D	30	C
11	A	31	D
12	B	32	A
13	B	33	A
14	D	34	B
15	C	35	A
16	D	36	D
17	B	37	A
18	C	38	D
19	A	39	B
20	A	40	A

June 2004

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 80

SYLLABUS/COMPONENT: 0620/02

CHEMISTRY



Page 1	Mark Scheme	Syllabus	Paper
	Chemistry - June 2004	0620	02

- 1 (a) B, C, F (all needed); [1]
 Only contain one type of atom [1]
 NOT: contain one kind of molecule
 NOT: cannot be split using chemical means
- (b) C [1]
- (c) (i) B [1]
 (ii) any gas with diatomic molecules e.g. chlorine, hydrogen, hydrogen chloride [1]
- (d) (i) F [1]
 (ii) pencil 'leads'/in pencils/lubricant/in electrical conductors/for electrodes/
 in tennis racquets/in golf clubs/hockey sticks etc [1]
- (e) (i) substance containing 2 or more different atoms
 combined/bonded/joined (both parts needed for mark) [1]
 ALLOW: elements (chemically) combined
 (ii) methane [1]
- (f) (i) 8 electrons round chlorine and bonded pair with dot and cross = 2 [2]
 ALLOW: all dots or all crosses
 Correct number of electrons but bonded pair not clearly on overlap = 1
 NOT: molecules other than hydrogen chloride
 (ii) covalent [1]
 (iii) blue litmus; [1]
 (litmus) turns red [1]
 (iv) pH2 [1]
 (v) 2 [1]
 (vi) magnesium chloride [1]
 NOT: formula
- Total = 17**
- 2 (a) insoluble particles/solids/dirt trapped/caught on stones; [1]
 NOT: filter reacts with insoluble impurities
 NOT: impurities unqualified
 Water passes through/filtered OWTTE [1]
- (b) (i) kill bacteria/germs, disinfect water OWTTE [1]
 (ii) neutralises acidity/water [1]
 ALLOW: reacts with acids in water
 (iii) calcium hydroxide [1]
 NOT: formula
 (iv) neutralising acid soils/neutralising acidic (industrial) waste/making
 bleaching powder/removing acidic gases/in Solvay process/in recovery of
 ammonia/making limewater/in water softening/for making plaster/for
 making mortar/controlling soil acidity [1]
 NOT: neutralising acids unqualified
 NOT: making cement

Page 2	Mark Scheme	Syllabus	Paper
	Chemistry - June 2004	0620	02

- (c) (i) 100; [1]
°C (conditional on 100) [1]
- (ii) anhydrous cobalt chloride/anhydrous copper sulphate (or correct colours); [1]
NOT: cobalt chloride/copper sulphate unqualified
Turns pink/blue (respectively) [1]
- (iii) any suitable e.g. washing/cleaning/drinking/cooking [1]
- (d) B [1]
- (e) ethanol [1]
NOT: alcohol
- (f) potassium hydroxide; hydrogen [1]
NOT: symbols
- Total = 15**
- 3 (a) means of measuring gas volume e.g. gas syringe/measuring cylinder [1]
(must be graduated);
flask/test tube/vessel with calcium carbonate + acid leading to syringe etc [1]
IGNORE: lack of reference to closed system (unless drawing incorrect) [1]
record volume on gas syringe/measuring cylinder/measure how much [1]
carbon dioxide given off [1]
at various time intervals/at a particular time [1]
OR
flask/vessel with calcium carbonate and hydrochloric acid in flask (1)
measure its mass at beginning of experiment (1)
measure mass of flask and contents during reaction (1)
at specific time(s) (1)
- (b) (i) faster/greater/speeds up [1]
- (ii) slower/less [1]
- (iii) faster/greater/speeds up [1]
- (c) (i) add aqueous sodium hydroxide; [1]
white precipitate; [1]
insoluble in excess [1]
(incorrect reagent = 0)
ALLOW: flame test - brick red
- (d) (i) high in the reactivity series/very reactive [1]
- (ii) 2 electrons in outer shell; [1]
inner shells correct as 2.8.8 [1]
- Total = 13**

Page 3	Mark Scheme	Syllabus	Paper
	Chemistry - June 2004	0620	02

- 4 (a) ethanol - solvent
ethene - polymer
bitumen - roads [3]
- (b) ethanol [1]
- (c) (i) C [1]
(ii) A [1]
(iii) B [1]
(iv) D [1]
- (d) (i) (compound) containing only carbon and hydrogen [1]
NOT: it contains carbon and hydrogen
- (ii) has only single bonds/ has general formula C_nH_{2n+2} [1]
NOT: it is saturated

Total = 10

- 5 (a) chlorine, argon, potassium, bromine, iodine [1]
ALLOW: symbols
- (b) chlorine, potassium, argon, bromine, iodine [1]
ALLOW: symbols
- (c) 2nd box down ticked [1]
- (d) chlorine, bromine, iodine (all 3 needed) [1]
ALLOW: symbols
- (e) (i) potassium/K [1]
(ii) argon/Ar [1]
- (f) 1st and 4th boxes ticked (1 mark each) [2]
- (g) (i) high (boiling point) [1]
(ii) conducts/is high [1]
- (h) potassium loses an/one electron/loses outer shell [1]
chlorine gains an/one electron/outer shell becomes complete [1]
ALLOW: (for 1 mark) potassium loses two electrons + chlorine gains two electrons
ALLOW: e.g. 2.8.8.1 → 2.8.8 for first mark
Any indication of sharing electrons = 0

Total = 12

Page 4	Mark Scheme	Syllabus	Paper
	Chemistry - June 2004	0620	02

- 6 (a) carbon monoxide [1]
- (b) iron oxide loses oxygen/it loses oxygen/oxidation number of iron decreases [1]
ALLOW: iron gains electrons
Answer must refer to the iron/iron oxide - therefore:
NOT: carbon monoxide gains oxygen
NOT: oxygen lost in the reaction
NOT: iron loses oxygen
- (c) 3; 2 (one mark each) [2]
- (d) (i) oxidise the impurities/oxidise Si or P or C/burn off the impurities [1]
NOT: get rid of impurities
NOT: slag formation
- (ii) exothermic [1]
- (iii) is/floats above the molten iron [1]
- (iv) calcium oxide [1]
- (v) stronger/harder/not brittle/less easily corroded ORA e.g. iron rusts [1]
NOT: less corrosive
- (e) any 3 of:
high melting/boiling points;
have coloured compounds (NOT: they are coloured);
have high densities;
form complex ions;
elements/compounds are good catalysts;
form ions with different charges/variable oxidation states [3]
- (f) alloys [1]

Total = 13

Grand Total = 80

June 2004

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 80

SYLLABUS/COMPONENT: 0620/03

**CHEMISTRY
Extended**



Page 1	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	3

- When the name of a chemical is demanded by the question, a **correct** formula is usually acceptable. When the formula is asked for, the name is not acceptable.
- When a word equation is required a **correct** symbol equation is usually acceptable. If an equation is requested then a word equation is not usually acceptable.
- An incorrectly written symbol, e.g. NA **or** CL, should be penalised once in a question.

In the mark scheme if a word **or** phrase is underlined it (**or** an equivalent) is required for the award of the mark.

(.....) is used to denote material that is not specifically required.

OR designates alternative and independent ways of gaining the marks for the question.

or indicates different ways of gaining the same mark.

COND indicates that the award of this mark is conditional upon a previous mark being gained.


- Unusual responses which include correct Chemistry that answers the question should always be rewarded - even if they are not mentioned in the mark scheme.
- All the candidate's work must show evidence of being marked by the examiner.

Page 2	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	3

- | | | | | |
|----|-----|-------|--|---------------------|
| 1. | (a) | (i) | portable | [1] |
| | | (ii) | oxygen or air | [1] |
| | (b) | (i) | both have four outer or valency electrons
need to share four more
or need four more to complete energy level
NOT four bonds | [1]
[1] |
| | | (ii) | hard
brittle
high melting or boiling point
poor conductor of electricity or semi-conductor
any TWO
NOT insoluble in water, NOT tough
NOT appearance | [2] |
| | | (iii) | germanium or carbon
NOT graphite | [1] |
| | (c) | (i) | correctly balanced | [1] |
| | | (ii) | lost oxygen
or decrease in oxidation number
NOT accepts electrons unless valid explanation | [1] |
| | | (iii) | 4 oxygen atoms around 1 silicon atom | [1] |
| | | | 2 silicon atoms around 1 oxygen | [1] |
| | | | tetrahedral or diagram that looks tetrahedral | [1] |
| | | | If some wrong chemistry, such as ionic MAX
2/3 | |
| | | | | TOTAL = [12] |
| 2. | (a) | (i) | USA or Texas or Poland or Mexico or Japan or Ethiopia
Australia or Sicily
accept other sources of sulphur eg petroleum
or natural gas or metal sulphides or volcanoes
NOT coal, NOT underground | [1] |
| | | (ii) | Preserving food or bleaching or sterilising or
disinfecting or making paper or bleaching wood pulp
or wine or jam or fumigation or making paper
NOT making wood pulp | [1] |
| | | (iii) | <u>burnt/roast in oxygen or air</u> | [1] |
| | | (iv) | vanadium(V) oxide or vanadium oxide or platinum
ignore oxidation state of vanadium | [1] |
| | | (v) | Increase temperature (increases rate) but reduces yield
catalyst only increases rate or a catalyst does not
influence position of equilibrium
NOT a definition of a catalyst | [1]
[1] |
| | | (vi) | sulphur trioxide + sulphuric acid = oleum
correct symbol equation acceptable | [1] |
| | | (vii) | $H_2S_2O_7 + H_2O = 2H_2SO_4$ | [1] |

Page 3	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	3

- (b) (i) potassium [1]
- (ii) ammonium sulphate [1]
- (iii) $\text{Ca}_3(\text{PO}_4)_2$ [1]
- $\text{Ca}(\text{H}_2\text{PO}_4)_2$ [1]
- (iv) only acceptable responses are:
accepts a proton [2]
accepts H^+ [1] only
- TOTAL = [14]**
3. (a) dissolved **or** solution in water [1]
NOT aqueous **NOT** soluble in water
l liquid and g gas [1]
- (b) 6 electrons in bond between two nitrogen atoms [1]
2 electrons on each nitrogen [1]
ignore any coding of electrons with dots **or** crosses
- (c) (i) decreases **or** reaction stops **or** rate becomes zero [1]
- (ii) concentration **or** number of effective collisions
decreases [1]
used up **or** less chemical **or** less collisions etc [1] only
- (iii) greater initial slope [1]
same final point [1]
as long as new curve touches the original curve near
the top allocate the mark
- (iv) greater surface area [1]
- TOTAL = [10]**
- 4 (a) (i) Named soluble zinc salt [1]
corresponding sodium salt [1]
If hydroxide **or** oxide then 0/2
- (ii) Correct equation [2]
not balanced [1] only
- (iii) Correct equation [2]
- (b) (i) $\text{Fe}^{3+} + 3\text{OH}^- = \text{Fe}(\text{OH})_3$ [1]
- (ii) Max at 8cm^3 [1]
Same shape of graph



Just the above shape, the height of the precipitate and the volume of sodium hydroxide are irrelevant [1]

Page 4	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	3

(iii) Maximum then height of precipitate decreases [1]
or graph slopes down to x axis **or** comes to zero

hydroxide dissolves in excess **or** it is amphoteric [1]

TOTAL = [11]

5. (a) Has to be three different uses.

any use that depends on malleability **or** ductility-
jewellery, pipes, wires, sheets, roofing, ornaments [1]
NOT that it is malleable **or** ductile

electrical wires **or** cooking utensils **or** electrodes [1]
(good) conductor

making alloys **or** named alloy [1]

(b) (i) $\text{Cu}^{2+} + 2\text{e} = \text{Cu}$ [1]

(ii) gas is oxygen [1]

(copper(II) sulphate) changes to sulphuric acid [1]
or copper ions removed from solution

(c) (i) copper atoms - electrons = copper ions [1]
accept correct symbol equation

(ii) concentration of copper ions does not change **or** [1]
amount **or** number of copper ions does not change

copper ions are removed and then replaced [1]
or copper is transferred from anode to cathode

(iii) refining copper **or** plating (core) [1]
or extraction of boulder copper

TOTAL = [10]

6. (a) (i) correct repeat unit [1]

COND evidence of polymer chain [1]

(ii) glucose **or** maltose [1]

(iii) addition (polymerisation) **or** no other product [1]
except polymer

condensation (polymerisation) **or** polymer [1]
and water

(b) (i) sodium hydroxide [1]

COND ammonia **or** alkaline gas **or** litmus red to blue [1]
If aluminium added $w_c = 0$

Page 5	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	3

- (ii) measure pH [1]
more than 1 and less than 7 **or**
correct colour eg orange **or** yellow **NOT** red
NOT green [1]
OR add magnesium **or** calcium carbonate [1]
weak acid reacts slowly
- (c) (i) ethyl acrylate [1]
ester **or** alkene [1]
- (ii) brown to colourless (**NOT** clear) [1]
correct formula for acid **NOT** ester [1]
- TOTAL = [13]**
- 7 (a) Avogadro's Number of particles
or formula mass in grams
or 6×10^{23} particles accept atoms, ions and molecules
or as many particles as there are carbon atoms in 12.00g of ^{12}Ca
ANY one [1]
- (b) (i) moles of Mg = $3/24 = 0.125$
moles of $\text{CH}_3\text{COOH} = 12/60 = 0.200$
magnesium is in excess

OR 3.0g of magnesium react with 15g of acid
only 12.0 g of acid present
magnesium is in excess [3]
- (ii) **Mark conseq to (i) but NOT to any simple integer**
moles of $\text{H}_2 = 0.1$ [1]
- (iii) **Mark conseq to (ii) but NOT to any simple integer**
Volume of hydrogen = 0.1×24
= 2.4 dm^3 [2]
- (c) (i) moles of NaOH = $25/1000 \times 0.4 = 0.01$ [1]
- (ii) **Mark conseq to (i) but NOT to any simple integer**
moles of acid = $0.01/2 = 0.005$ [1]
- (iii) **Mark conseq to (ii) max 10M**
concentration of acid = $0.005 \times 1000/20$ [1]
= 0.25 mol/dm^3 [1]
- TOTAL = [10]**

TOTAL for PAPER = [11] + [14] + [10] + [11] + [10] + [13] + [11] = [80]

June 2004

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 40

SYLLABUS/COMPONENT: 0620/05

**CHEMISTRY
Practical**

Page 1	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	5

1	Table of results		
	Experiment 1		
	Temperature boxes completed		1
	Increasing		1
	Comparable to supervisor		1
			[3]
	Experiment 2		
	Temperature boxes completed		1
	Decreasing		1
	Comparable to supervisor		1
			[3]
(a)	All points plotted correctly		4
	(-1 for each incorrect)		
	Smooth line graphs		2
	Labelled		1
			[7]
(b)	(i)	1. Value from graph	1
		2. Value from graph ± 0.25 } No unit only (1)	1
			[2]
	(ii)	1. Exothermic	1
		2. Endothermic	1
			[2]
(c)	Fizz/bubbles/effervescence		1
	Solid disappears		1
			[2]
(d)	Carbonate		1
	Fizz with acid or similar		1
			[2]
(e)	Solid A – value from table/room temperature $\pm 3^{\circ}\text{C}$		1
	Solid B – value from table/room temperature		1
	Reaction finished		1
			[3]
		Sub Total	[24]
2	(a)	White	1
			[1]
	(c)	(i)	White
			Precipitate
			1
			1
			[2]
		Excess – no change	1
			[1]
	(ii)	No precipitate/change	1
			[1]
	(iii)	Paper goes blue	1
		Fizz/bubbles etc	1
		Reference to smell	1
			[3]
	(iv)	pH greater than 7	1
			[1]
	(v)	Milky/cloudy	1
			[1]
(d)	Calcium		1
(e)	Ammonia		1
			[1]

Page 2	Mark Scheme	Syllabus	Paper
	Chemistry – June 2004	0620	5

(f)	Limewater	1	
	Carbon dioxide	1	[2]
(g)	Nitrate	1	
	Hydroxide	1	[2]
		Sub Total	[16]
		Total	[40]

June 2004

INTERNATIONAL GCSE

MARK SCHEME

MAXIMUM MARK: 60

SYLLABUS/COMPONENT: 0620/06

CHEMISTRY
Alternative to Practical



